



www.lalizas.com

FIREMAN'S SUIT
COMPLETE SET
SOLAS/MED

Fireman's Suit Complete Set, SOLAS/MED

The complete set includes SOLAS/MED approved:

- Jacket & trousers
- Helmet (1 pc)
- Boots (1 pair)
- Gloves (1 pair)

All the above are provided in a **Carrying Bag**



Code	Size
72082	L
72083	XL

Jacket & Trousers

Three different layers of Jacket & Trousers:

- a) Aramid outer shell
- b) Meta-aramid/par-aramid PU waterproof, breathable, thermal barrier
- c) Modacrylic/Lenzing FR inner lining, provide specific protective features such as low flammability, no melting point, resistance to abrasion, chemicals and organic solvents.

Weight: 2100 g (size L)

Specified Testing Standards:
EN 469:2005

Code	Size
73666	L
74300	XL



Fireman's Helmet, SOLAS/MED

Provides high level of protection, simple in use and extremely lightweight.

- Interior padding easily replaceable and washable
- Integrated adjustment system (52–64 cm)
- "Push to release" button
- Anti-scratch and anti-fog coated external visor
- Reflective tape
- Neck protector (aluminised fibre)
- 3-point chinstrap
- Electrical insulation capacity E2
- Chemical resistance
- Extreme temperature resistance (up to 1,000°C in a 10 second flash over flames)
- Long-term temperature resistance (radiant heat test 14 kW/m2)
- High resistance to mechanical impacts
- Low-temperature classification –30°C

Specified Testing Standards:
EN 443 & EN14458

Code
72249



LALIZAS Antipiros Fireman's Gloves, SOLAS/MED

- Four different layers for extra safety provide thermal, chemical, penetration and cut protection
- Ergonomic design facilitates firefighting works execution
- Reflective stripes for visibility

Specified Testing Standards:
EN659 & A1

Code	Size
74301	L-XL



Fireman's Boots, SOLAS/MED

Recommended for structural fire fighting, general fire rescue & bush fire fighting. Made of Vulcanized Rubber (upper part and sole) and woven cotton canvas for extra comfort.

Sole/Heel

- Flame-retardant rubber outsole
- Fuel oil resistant
- Slip-resistant
- Excellent abrasion resistance
- Catered to enter high temperature
- Cold insulation
- Steel midsole

Upper construction

- Flame-retardant upper part with heat insulation
- Waterproof
- High visibility with black and yellow contrast
- Acids and alkalis resistant
- Metal toecap

Code	Size
73667	43-44
74297	45-46

Specified Testing Standards:
EN 15090 & EN ISO 20345

Other Approvals:
AS/NZS 4821 & CSA Z195-09 / ASTM F 2413-11

FIREMAN'S SUIT COMPLETE SET